
























CONSUMMABLES FOR CUTTING TABLES

BLADES & CARPET

Below blades on stock - delivery 24/48h - For quotes or others, contact us.

contact@cnm-process.com - Phone +339 73 22 91 62 - www.cnm-process.com

















COMPATIBLE BLADES ATOM/ZÜND

Blades	Identification	Thickness	Useful length	Total length
	01030 730	0,64	11	28
	01030 773	0,64/1	13	28
	01030 774	0,64	15	28
	01R30 773	0,64	15	27
	01030 782	0,64	15	28
	01030 793	0,64	14	30
	01033 856	0,64	10	28
	01033 857	0,64	13	28
	01033 858	0,64	10	23
	01039 894	0,64	15	27
	01039 895	0,64	12	27
	01039 896	0,64	13	28
	01039 897	0,64	11	28
	01039 898	0,64	8	28
	01039 903	0,64	17	28
	01039 904	0,64	12	28
	01039 905	0,64	12	28
	01039 906	0,64	23	33
	01039 907	0,64	23	33
	01039 908	0,64	12	28
	01039 909	0,64	22	33

Below blades on stock - delivery 24/48h - For quotes or others, contact us.

contact@cnm-process.com - Phone +339 73 22 91 62 - www.cnm-process.com













COMPATIBLE BLADES ATOM/ZÜND

Blades	Identification	Thickness	Useful length	Total length
	01039 997	0,64/1	23	37
	01039 999	0,64	11	27
	01040 074	1,5	11	38
	01040 175	0,64	14	28
	01040 357	0,64	13	33
	01040 445	1	49	63
	01043 068	0,64/1	20	37
	01044 567	0,64	27	48
	01045 485	0,64	33	53
	01045 545	0,64	13	30
	01046 251	0,64	15	33
	01046 484	0,64	15	32
	01047 108	1	20	35
	01047 659	0,64	14	33
	01R39 999	0,64	11	28
	01R43 856	0,64	10	28

Below blades on stock - delivery 24/48h - For quotes or others, contact us.

contact@cnm-process.com - Phone +339 73 22 91 62 - www.cnm-process.com






COMPATIBLE BLADES ATOM/ZÜND

Blades	Identification	Thickness	Useful length	Total length
	01030 911	1	11	28
	01040 357	0,64	15	33
	01040 445	1	49	63
	01040 481	1	44	52
	01040 906	1	65	80
	01043 086	1	31	45
	01043 087	1	30	45
	01043 604	1	12	28
	01045 231	1	/	40
	01045 232	1	9	28
	01045 233	1	18	33
	01048 538	0,64	55	68

Below blades on stock - delivery 24/48h - For quotes or others, contact us.

contact@cnm-process.com - Phone +339 73 22 91 62 - www.cnm-process.com

















COMPATIBLE BLADES ATOM/ZÜND

Blades	Identification	Thickness	Useful length	Total length
	01033 925	1,5	10	50
	01040 506	1,5	55	82
	01040 507	1,5	80	103
	01040 508	1,5	105	132
	01040 552	1,5	125	153

Below blades on stock - delivery 24/48h - For quotes or others, contact us.

contact@cnm-process.com - Phone +339 73 22 91 62 - www.cnm-process.com






















COMPATIBLE BLADES ATOM/ZÜND

Blades	Identification	Thickness	Useful length	Total length
	135 303	0,64	15	35
	135 501	1	12	28
	135 502	1	20	34
	135 504	1	25	43
	135 505	1	58	84
	135 506	1	26	54
	135 508	1	11	28
	135 511	1	15	28
	135 512	1	57	80
	135 513 135	1	17	29
	514	1	16	28
	135 515	1	44	71
	135 516 135	1	11	34
	518	1	41	64
	135 522	1	31	50
Visual in progress	135 600	1,5	84	
	135 603	1,5	132	164

Below blades on stock - delivery 24/48h - For quotes or others, contact us.

contact@cnm-process.com - Phone +339 73 22 91 62 - www.cnm-process.com

COMPATIBLE BLADES ATOM/ZÜND

Blades	Identification	Thickness	Useful length	Total length
	Z10	1,5	7	50
	Z11	1,5	7	50
	Z13	1,5	10	50
	Z16	0,64	10	25
	Z17	0,64	12	25
	Z20	0,64	15	25
	Z21	0,64	17	28
	Z22	0,64/1	14	25
	Z26	0,64	9	25
	Z28	0,64	26	38
	Z29	0,64	34	43
	Z44	1,5	14	50
	Z46	1,5	19	50
	Z60	1,5	16	28
	Z61	1,5	20	30
	Z62	0,64	15	28
	Z64	1,5	57	67
	Z66	1,5	59	67
	Z68	1,5	30	41
	Z71	1	39	50
	Z50	1		25

Below blades on stock - delivery 24/48h - For quotes or others, contact us.

contact@cnm-process.com - Phone +339 73 22 91 62 - www.cnm-process.com


COMPATIBLE CARPET

ATOM/ZÜND

Supplied with junction kit

TECHNICAL DATA

Carpet type	TNT
Material	Special latex-impregnated non-woven fabric
Density	420 g/m2/mm
Color	Grey
Usage	Fixed and conveyor belts
Thickness	3 mm
Widths	1650 mm and 2050 mm
Lengths	On ask
Delivery	24/48 h



Below blades on stock - delivery 24/48h - For quotes or others, contact us.

contact@cnm-process.com - Phone +339 73 22 91 62 - www.cnm-process.com